electronic engineering

Technical Articles Index 1985–1987

ATE and methods

CAE/CAD and computer techniques

Custom and semi-custom design

Hardware, packaging and interconnection

Hybrid technology

Instrumentation

Integrated circuits – analogue and applications

Integrated circuits – digital and applications

Integrated circuits (Mixed A/D) and applications

Materials

Memories

Microwave technology and RF transmission

Opto electronics

Passive components and circuits

Power supplies and batteries

Software

Solid state devices – discrete (power)

Telecommunications and data communications buses and networks

ATE and methods

A multimode programming strategy for VLSI boards. *Peter Hansen*. February 1985, 91-94.

Thermal rises due to digital device overdriving. *G. Shira Bushanam, Vance R. Harwood, Philip N. King and Roger D. Story*. Part 1: measurement, October 1985, 101-112; Part 2: results, November 1985, 71-77.

The design of a bench top ATE system. *Jim Brown*. (Checkmate) November 1985, 143-150.

A second generation performance tester. *Malcolm Hay*. (Z3200) November 1985, 153-165.

Technology Focus — Developments in contactless testing. November 1985, 179-181.

Back-bias testing in DRAMs. *Praveen Gupta*. November 1985, 185-193.

Computer aided testing with logic and fault simulation. *John Hengesbach*. November 1985, 197-203.

International Test Conference '85 — a preview. November 1985, 207-211.

The practice and economy of burn-in. *Gustav Ost*. August 1986, 37-43.

Technology Focus — International Test Conference. November 1986, 127-136.

A performance in-circuit test technique. *Mike Fabish*. November 1986, 139-148.

Technology Focus Interview with Roger Ball (Gen Rad). November 1986, 150-157.

A step towards design and manufacturing integration. *Paul McCreath*. November 1986, 159-162.

Techniques of SMD probing. *Muriel Smith and Steve Cook*. November 1986, 165-172.

Technology Focus: International Test Conference '87. November 1987, 105-114.

50kHz sampling ADC gives 20-bit resolution. Cliff Forest. November 1987, 119-127.

Testing flash A/D converters. *Nick Wilson*. November 1987, 131-139.

Qualitative reasoning in electronic fault diagnosis. Conor Clancy. November 1987, 141-145.

Automatic test equipment for EW/ECM systems. *Steve Adams*. November 1987, 147-152.

CAE/CAD and computer techniques

Linking hardware and software development in CAE systems. *Darrel Watson*. September 1985, 151-154.

An improved version of the HILO simulator. *R. L. Harris and A. N. Omid*. September 1985, 159-167.

Simulation and testability analysis in system design. *Cliff Winckless*. September 1985, 160.

Justification of CAD tools for IC design. *Donald L. Lacy*. May 1986, 69-73.

Technology Focus — Cadnetix CAE/CAD interview with O.B. (Buck) Feltman. June 1986, 134-142.

Convincing management that there is a case for CAE. *Peter Haverson*. September 1986, 131-135.

A method of evaluating CAE tools. *Chris Sheldon*. September 1986, 139-152.

Custom and semi-custom design

Semi-custom logic — the field programmable option. *D. A. Laws*. May 1985, 73-76.

Bipolar cell library with both analogue and digital functions. *S. Garue, L. Silvestri and P. Zorzoli*. May 1985, 89-92.

Technology Focus: Silicon compilers. September 1985, 135-139.

Technology Focus: Design software for personal computers. September 1985, 141-148.

Universal logic gate transmission gate array. *C. Zhang*. October 1985, 61-67.

Programmable gate array designs using the PC. *John Umney*. June 1986, 105-112.

Silicon computer achieves process independence. *Mike Morgan and John Hunter*. September 1986, 155-160.

The flexible array technique. *Giovanni Gianella*. October 1986, 91-101.

Product Focus: Custom devices and services. February 1987

Technical Articles Index 1985–87

78–105
Testing of customer-specific products. *Dr Harald King*. June 1987, 37-44.
The role of personal workstations in gate array design. *Brian Wadsworth*. November 1987, 57-62.

Hardware, packaging and interconnection

A three-dimensional interconnection system. *Mike Ansty*. March 1985, 125-128.
Interconnecting high speed logic. *John Summers*. March 1985, 133-140.
Developments in filter connectors. *Keith Cornfoot*. March 1985, 145-147.
Advances in micro-miniature connectors. *John Ashman*. March 1985, 150-151.
Applications of flexible circuits. *Paul Thomas*. March 1985, 155-157.
The surface mounting connection. *D. Golten*, September 1985, 63-66.
Product Focus: Production methods and techniques. July 1986, 72-91.
Product Focus: Connectors. August 1986, 52-73.
The impact of SMT on a spectrum analyser. *Chris Balmforth*. March 1987, 113-119.
Smartex Conference review. *Keith Pitt*. April 1987, 63-68.
Product Focus: Interconnection December 1987, 54–75.
The impact of SMT on a spectrum analyser. *Chris Balmforth*. March 1987, 113-119.
Smartex Conference review. *Keith Pitt*. April 1987, 63-68.

Instrumentation

A portable microprocessor development system. *Graham Hirst*. September 1985, 169-174.
Development tools for 32-bit chips. *Ulrich Schricker*. October 1985, 89-97.
The design of a bench top oscillator. *E. W. Haraman*. October 1985, 115-119.
Product Focus: Logic analysers. October 1985, 122-142.
Personal computer based device programmers. *Paul G. Schreier*. November 1985, 169-175.
Technology Focus: P981 proposals for IEEE 488. April 1986, 131-134.
A modular instrumentation system using the VMEbus. *Clive Gilder*. April 1986, 137-147.
Auto-zero facility for instrumentation amplifier. *Philip Parsons*. April 1986, 151-157.
One-off calibration of DVMS. *Umar Qureshi*. April 1986, 159-163.
PCs in the microprocessor development laboratory. *Stu. Vannerson*. June 1986, 125-132.
Front-panel innovations in the PM 3050 series oscilloscopes. *Lucien van Os*. October 1986, 83-89.
Attenuator design in the PM 3050 oscilloscope. *Hans Jan Teeffelen*. November 1986, 63-68.
Development tools for 32-bit processors. *Martin Cole*. December 1986, 37-40.
A time base for a 50MHz oscilloscope. *Eppie Kruisdijk*. (PM 3050) December 1986, 45-53.
Frequency agility in signal generators. *Peter Cornell*. May 1987, 67-77.

Integrated circuits — analogue and applications

Two chip SLIC with integrated ring function. *A. Hennigan*. April 1985, 95-97.
Monolithic transmitter for current loops. *A. Paul Brokaw*. October 1985, 71-85.
Switched capacitor filters in CMOS. *David McGee*. January 1986, 63-75.
A novel design approach to high frequency op amps. *Roy Shattock*. March 1986, 59-63.
High dynamic range mixing with the Si8901. *Ed. Oxner*. May 1986, 53-56.
Product Focus: Analogue and linear devices. May 1986, 98-140.
The LM3578 Switching Power Regulator. *Mike Meakin*. July 1986, 47-55.
Servomotor power amplifier. *David Sanders and Professor John Billingsley*. August 1986, 47-49.
Monolithic 16-channel wideband video switch. *Eric Williams and Keith Davies*. September 1986, 43-46.

Integrated circuits — digital and applications

A single chip digital signal processor. *Richard Pickvance*. (CRISP). Part 1 — architecture and addressing: February 1985, 53-63; Part 2 — instructions and algorithms: March 1985, 55-62; Part 3 — input/output methods: April 1985, 87-92.
A CMOS hard disk controller. *T. Funabashi, K. Iwaski, K. Minorikawa and H. Yonezawa*. (HD63463). February 1985, 77-84.
Product Focus: Digital signal processing. February 1985, 100-124.
Design and applications of a digital signal processor. *Martin Winterer*. (UDP101). Part 1: June 1985, 47-52; Part 2: July 1985, 47-52.
Progress in digital GaAs ICs. *John Smith*. June 1985, 157-160.
A 16-bit microcontroller for high performance applications. *Mike Gomes*. (MCS-96). September 1985, 37-39.
Replacing LSTTL with high speed CMOS. *James Nadolski*. September 1985, 43-50.
The T414 transputer — the end of the beginning. *David May, Tony Kingsmith and Ian Pearson*. November 1985, 51-59.
Technology Focus interview — The 80386 with David House. November 1985, 64-67.
A second generation 32-bit microprocessor. *J. C. Mathon*. (NS32332) December 1985, 61-65.
Design for test of digital logic devices. *S. L. Hurst*. Part 1: January 1986, 41-50; Part 2: February 1986, 59-70.
The role of bit slice in modern digital systems. *D. J. Brain*. Part 1: February 1986, 51-56; Part 2: March 1986, 47-55; Part 3: April 1986, 56-59.
The SCC68070: a monolithic 68000 CPU and peripherals. *Graham Conn*. April 1986, 51-56.
Using a terminal management processor for colour. *Klaus Notte*. May 1986, 75-85.
A graphics processor chip — the 82786. *Martin Randall and Arun Johary*. September 1986, 55-63.
DSP56000: The 10.25 MIPS Motorola DSP. *Eric Cheval*. October 1986, 51-58.
Future series 32000 evolution. *Dr Werner Tratting*. (32532) October 1986, 71-81.
Product Focus: 32-bit microprocessors and support devices. October 1986, 110-141.
32000 support for modular programming. *Guenther Hausmann*. January 1987, 29-34.
Minimising jitter in clock extraction circuits. *B. Foster*. March 1987, 45-52.
The digital control-architecture of a microwave sweeper. *Guy Purchon* and *Tim Pegg*. March 1987, 103-111.
Digital modulation using the Hilbert transform. *Christoph Tiefenthaler*. April 1987, 71-80.
Integrated services digital network S-Bus design. *Andy Keates*. October 1987, 77-82.
Cache coherency in microprocessor based systems. *David Schanin*. October 1987, 57-63.
Product Focus: Programmable devices and associated equipment. October 1987, 96–121.
Simulation in the design of the AM29000 microprocessor. *Smeeta Gupta*. November 1987, 44-52.

Integrated circuits (mixed A/D) and applications

A 12-bit CMOS A/D converter. *Leonard Sherman*. January 1985, 61-69.
Product Focus: Intelligent power devices. January 1985, 84-100.
Sample and hold — the key to fast A to D conversion. *Elwyn Davies*. March 1985, 67-69.
National collaborative research into gallium arsenide. *Dr D. T. J. Hurle*. June 1985, 149-153.
Double buffered DAC's for simpler bus interfacing. *Elwyn Davies*. August 1985, 43-45.
Bimos — benefits greater than the sum of the parts. *Luc Bienstman*. September 1985, 53-60.
Adaptive filtering using voltage mode DACs. *Mike Byrue and Paschal Minogue*. Part 1: May 1986, 59-66; Part 2: June 1986, 50-53.
Five dollar 300 baud modem. *Professor Yoshiyasu Takefuji*. September 1986, 49-52.
Operating 14-bit DACs at high temperatures. *Mike Curtin and Robert Stakelum*. September 1986, 61-67.
Three phase control and drive IC for brushless motors. *Phil Davies and Mike Null*. November 1985, 51-59.
CMOS amplifiers for ±15V systems. *Leonard Sherman*. February 1987, 65-74.
Switched capacitor voltage con-

Technical Articles Index 1985–87

verter. *Dennis O'Neill, Ross Nimmo.* June 1987, 85-89.

A systems approach to analogue simulation using Saber. *Andrew Patterson.* June 1987, 93-101.

High Speed A/D converter designs: Layout and interfacing pitfalls. *Robert E. Leonard.* June 1987, 103-117.

Monolithic CMOS video mux/amp pushes 50MHz. *Greg Schoffer.* October 1987, 43-52.

The use of video switches, multiplexers, crosspoints and buffer amplifiers. Part 1. *W. M. Austin, C. Salerno, S. Ahmed* and *J. Nadolski.* September 1987, 35-44.

The use of video switches, multiplexers, crosspoints and buffer amplifiers. Part 2. *W. M. Austin, C. Salerno, S. Ahmed* and *J. Nadolski.* October 1987, 67-75.

Single-chip DVM using combined digital-linear ULA. *David Richardson.* August 1987, 29-32.

50kHz sampling ADC gives 20-bit resolution. Cliff Forest. November 1987, 119-127.

Materials

Connectors for vapour phase soldering. *Jean-François Falguiére.* December 1985, 43-45.

Memories

Memory management with the M6800 family. *John F. Stockton.* March 1985, 47-49.

A 10MHz dynamic RAM controller. *R. Wilson.* (DP8419) May 1985, 81-83.

The Product Focus Interview with John Bourgoin, AMD (Am27551). May 1985, 96-99.

Product Focus: Memories. May 1985, 102-134.

A designer's guide to virtual memory management. *Mike Hudson and Gunther Hausmann.* July 1985, 55-68.

The design of a 64K CMOS SRAM. *Tony Dent.* (1MS1600) October 1985, 51-58.

Integrating optical disc drives into a system. *George Dundon.* December 1985, 49-57.

A hierarchical RAM with multilevel access path. *Peter Bagnall and Charles Furnweger.* (V64H1). Part 1: January 1986, 53-59; Part 2: February 1986, 87-92.

Technology Focus-Optical discs. March 1986, 117-121.

Integrating a multifunctional optical disc drive. *George Dundon.* March 1986, 125-127.

Overcoming addressing limitations with page-addressed EPROMs. *Kurt Robinson.* March 1986, 137-145.

A tape format for personal computers. *David Allen.* March 1986, 137-145.

Memory management on an 8-bit CMOS processor. *Jim McCullock.* March 1986, 147-151.

M68000 family memory management. *Clive Gay.* Part 1: June 1986, 39-48; Part 2: July 1986, 59-68.

Microwave technology and RF transmission

High efficiency millimetre wave oscillators and amplifiers. *F. B. Frank, J. C. Crowley, M. C. Buswell, C. Hang, P. H. Wolfert, D. Tringali, and L. Y. Ching.* June 1985, 39-42.

A decade of GaAs MMICs. *R. S. Pengelly.* June 1985, 163-174.

Monolithic mixers and phase shifters for X band. *J. L. B. Walker, M. G. McDermott, J. M. C. Nicholas and A. G. Hughes.* June 1985, 179-186.

IC support for RS-232-C and its derivatives. *Brian Gillings.* October 1986, 105-106.

Radar cross section: engineering for stealth. *Neil Williams.* February 1987, 49-60.

MMICs — a mature technology. *Ian Eddison* and *Fred Myers.* September 1987, 105-113.

High power multipliers at millimetre frequencies. *Peter Dumbell* and *Leon Koh.* September 1987, 115-119.

Achieving reliability and performance with HEMT devices. *Masahide Yamanouchi.* September 1987, 123-127.

Design of high power solid state S-band amplifiers. *John Yelland and* W. Chan. September 1987, 131-135.

Broad tuning range VCOs for microwave systems. *Graham Parkinson.* October 1987, 85-94.

Opto-electronics

Optical multiplexing of fibre optic systems. *Oskar Krumpholz and Bernd Hillerich.* April 1985, 53-56.

Product Focus: Display devices. April 1985, 104-135.

Large flat panel displays using smectic memory LCDs. *W. A. Crossland and S. Canter.* August 1985, 35-41.

Product Focus: Optoelectronics. December 1985, 68-69.

Travelling wave deflection for brighter crt displays. *Hans van Schaik and Klaus Zeppenfeld.* February 1986, 47-49.

Versatile optoelectronic logic circuit elements. *A. Barreau.* April 1986, 39-46.

Time integrating optical correlator. *J. Grinham.* November 1986, 43-46.

FOSPAN — A new power in signal processing. *John Grinham.* June 1987, 31-35.

Prouct Focus: Display Devices, January 1987, 50–59.

Passive components and circuits

Upgraded surge performance of tantalum capacitors. *R. W. Franklin.* May 1985, 61-62.

Capacitor reliability — the role of the methanol test. *R. C. Chittick and E. L. Bush.* May 1985, 65-67.

Product Focus: Relays, switches and keyboards. August 1985, 48-63.

Product Focus: Surface mounted components. February 1986, 96-122.

Polarised relays for electronic design. *J. G. Naples* and *Sepp Antonicsh.* January 1987, 37-49.

Silicon nitride: A new dielectric for UHF chip capacitors. *Bob Welch.* August 1987, 41-44.

Product Focus: Passive Components. August 1987, 46–59

Power supplies and batteries

A single HEXFET, current-fed, universal SMPS. *Brian Taylor.* June 1985, 56-57.

Product Focus: Power supplies. January 1986, 78-104.

Common pitfalls and problems with PSUs. *Robin Stephens.* May 1986, 87-95.

The reliability of switch mode power supplies — 15 years on. *Peter Bardos.* July 1986, 37-45.

Manufacturing and field studies of PSU reliability. *Tom Leen.* May 1987, 45-54.

Input to output isolation in DC/DC converters. *Steve Allen.* July 1987, 35-47.

Software

Data security using single-chip micros with on-board EEPROM. *David Ruimy Gonzales.* January 1985, 75-78.

Kalman filter subroutine computation. *Dr. S. Bozic.* July 1987, 29-33.

Solid state devices — discrete (power)

Logic level FETs. *Luc Marechal.* January 1985, 53-56.

High power multiple die MOSFET circuits. *Kim Gauen.* February 1985, 67-70.

A solid-state gas sensor. *J. Watson and R. A. Yates.* May 1985, 47-57.

The photovoltaic relay — a new solid state control device. *H. William Collins.* February 1986, 75-84.

Power transistor developments for colour CRT deflection. *Peter Wilson.* March 1987, 35-40.

A medium power switch using a GEMFET/bipolar Darlington combination. *Pierre Aloisi* and *Charles Cordonnier.* May 1987, 57-65.

Product Focus: Power Devices. July 1987, 48–68.

Breakover diodes for transient suppression. *Julian Foster.* August 1987. 35-39.

Telecommunications, data communications, buses and networks

A novel processor-peripheral interface. *Rob Wilson.* April 1985, 61-73.

Silicon and boards for Multibus II. *Amy Sheun and John Beaston.* April 1985, 77-80.

Product Focus: Bus-orientated boards. July 1985, 70-95.

Chip and board level support for token bus and GM MAP. *Peter Crooks.* March 1986, 37-42.

The personal computer as a design component. *Phil Stratton.* June 1986, 115-123.

Product Focus: Bus-based boards. December 1986, 56-79.

Taxi chipset replaces multi-wire buses with a single serial link. *Gary Connor et al.* April 1987, 51-59.

Product Focus: Networks and associated products April 1987, 82–109.

Integrated services digital network S-Bus design. *Andy Keates.* October 1987, 77-82.

Achieving a GHz sample rate with charge-coupled devices. *Derek Locke* and *Steve Emms.* March 1987, 93-99.

Product Focus: Digital and analogue signal processing. May 1987, 78–105.

Supplement subjects

1985

March	Interconnection and connectors
June	Gallium arsenide devices
September	Electronic design aids
November	Automatic test equipment

1986

March	Memory and its management
April	Instrumentation and test
June	The PC as an engineering tool
September	Computer-aided engineering
November	Automatic test equipment

1987

March	Instrumentation
June	Analogue devices
September	Microwave devices and design
November	ATE

Product focus subjects

1985

January	Intelligent power devices
February	Digital signal processors
April	Display devices
May	Memory (solid-state and rotating)
July	Bus-orientated boards
August	Relays, switches and keyboards
October	Logic analysers
December	Opto-electronics

1986

January	Power sources
February	Surface mounted components
May	Linear and analogue electronics
July	Electronic production techniques and methods
August	Connectors
October	32-bit microprocessors and support devices
December	Bus-based boards

1987

January	Display devices
February	Custom devices and services
April	Networks and associated products
May	Digital and analogue signal processing
July	Power devices
August	Passive components
October	Programmable devices and associated equipment
December	Interconnection

electronic engineering

Applied Ideas Index 1985–1987

January 1985

Simultaneous pulse train signal carrying, *Dr. Wasim Ahmad*, 35

D/A converter with $V=N^{-1}$ conversion, *Oldrich Podzimek*, 37

Heart rate monitor utilises single chip, *G. Hovorka*, 39

Clamp-on current probe compensator, *Dr. C. J. D. Catto*, 41

An MC6809 clock synchroniser circuit, *A. Pattison*, 41

Low cost A/D micro interface using TL507, *M. E. Davies*, 43

Reducing noise sensitivity of a 555 timer, *Jose S. Correa de Queiros*, 45

SCR preregulator fits any power supply, *Dr. Apostolos Traganitis*, 45 (Nb. Letter to the Editor, April 1986, 34)

February 1985

An experimental A/D converter, *Mr. J. A. Caldwell*, 35

Basic program for exact curve fitting, *L. J. Mayes*, 38

A simple video amplifier circuit to drive a CRT grid, *Mr. A. Foord*, 41

The Partial reprogramming of EPROMs, *Mr. W. E. Kornacki*, 43

Voltage detector relay for battery charger, *Mr. Hernan Tacca*, 45

Low cost comparator and display circuit, *Mr. G. Bobrowski*, 45

Programmable band-pass using twin-T bridge, *Mr. Kamil Kraus*, 47

Integrator to eliminate phase reversal, *Mr. Junibakti Sanubari*, 47

March 1985

Microwave multi-wavelength interferometer, *M. Bramanti & A. Tozzi*, 31

Mux as read only port, *V. Chengalvarayan*, 33

A fast fibre-optic link for trigger signals, *P. Gascoyne*, 34

Acceleration control circuit for stepper motors, *P. C. Lanchester*, 34

F/voltage converter with 4 level detector, *Hernan Tacca*, 36

Extended user port for BBC micro, *G. E. Driver*, 40

April 1985

Multichannel pulse counting, *R. W. R. York*, 37

Pulse generator for 63XX PROM programming, *D. Greaves*, 39

Programmable time for watchdog functions, *D. G. Sporea & C. O. Cotesu*, 41

Soldering machine controller, *Hernan Tacca*, 42

PLL design with time-delay effect, minimised, *P. Hasan*, 45

RGB monitor for BBC microcomputer, *W. R. Wright*, 47

Improved circuit for motor speed control, *M. S. Sohi*, 47

May 1985

A cursor for waveform analysis, *D. Bhanumurty*, 31

Cascade compensators for linear control, *P. Shanmugam*, 33

Multiple inputs using 8085's SID/SOD lines, *P. R. Apte*, 36

VCXO, with good stability and linearity, *K. N. Madhavan*, 36

A low cost Wien bridge oscillator, *J. H. Asbery*, 38

Presettable digital time window, *H. Kappetijn*, 41

Controller for machine presses, *Hernan Tacca*, 43

June 1985

Line inverter with stepped waveform, *J. Tavora & C. Campos*, 33

Data Separator for floppy discs, *M. Darko*, 36

1 pole, 4 position TTL rotary switch, *M. McGlinchy*, 36

July 1985

Light switching with an SCR used as a GTO, *M. M. Bemalkhedkar*, 29

Trigger pulse generator allows Don't care, *G. Yadagiri*, 30

Flexible interrupt structure with 8085 micro, *D. V. Poornaiah*, 30

Three phase tester, *I. Bogdanov*, 34

Double-edge triggered flip-flop, *C. P. Aldworth*, 36

CMOS PROM interfaces with COSMAC, *P. R. Ramraj*, 36

Retriggerable frequency ratio meter, *Dr. L. O. Kehinde*, 38

Energy saving controller for induction motors, *Popescu Viorel*, 43

Simple continuity tester for PCBs, *G. Bottomley*, 44

August 1985

BER measurement of modem, *Mr. S. K. Ray*, 27

Microprocessor bugs packet transmission, *P. R. Ramraj*, 28

Two 8-bit DACs make a 12-bit DAC, *L. M. Radhakrich*, 30

A secure modem card for electronic mail, *P. Jordan, P. W. Sanders*, 30

Using energy controllers isolated from the mains, *R. E. Webb*, 33

September 1985

Simplified voltage level sensing, *Mr. J. Michael* 25

Sealed lead-acid battery tester, *Mr. C. Cunningham*, 26

Temperature sensor and DVM interface, *Mr. G. J. Phillips*, 30

A novel linear voltage controlled resistor, *Mr. M. Sasikumar*, 32

October 1985

Comparator circuit detects four windows, *A. Foord*, 35

Multiplexing spectroscopy AD converters, *G. Molnar & J. Nagy*, 36

Quiescent current in a class AB output stage, *T. H. O'Dell*, 39

Non linear controls, *C. J. D. Catto*, 39

A tape recorder multiplexer for 16 channels, *Dr. A. J. Wilson*, 40

November 1985

Improved audio notch filter, *I. Hickman*, 31

Op amp clamping, *K. L. J. Molnar*, 32

Stepper motor design, *J. A. Edwards*, 32

Low noise wideband instrumentation amp, *A. Foord*, 36

MOSFET bridge amplifier for 12V operation, *G. Stocchino*, 39

Interfacing peripherals to the 1806 family, *S. M. Parkes*, 40

Using the 146818 with a non-muxed bus, *S. J. Brice*, 44

Fast computation of difference/sum ratios, *W. J. Szajnowski*, 48

December 1985

Counter controls stepper motor movement, *R. Koul*, 35

Alphanumerical symbols shading in TV, *Milun Jevtic*, 31

Mains frequency square wave generator, *L. D. Mudd*, 35

A bipolar integrated circuit analogue switch, *D. R. McPartland*, 37

Simple design procedure for a general summer, *Pen-Min Lin*, 37 (Nb. Letter to the Editor, March 1986, 34)

January 1986

Interface reduces time for multichannel serial output, *V. K. Agrawal & N. R. Ramalingam*, 31

A sensible reflexive optical signals detector, *E. C. Nicolosi*, 34

Novel TTL-compatible Schmitt trigger, *B. L. Hart*, 37

February 1986

8-bit DAC comprising 16 voltage outputs, *C. Cozer*, 33

An accurate digital capacitance meter, *C. Koukourlis, J. Lygouras*, 34

RC circuit detects phase sequence reversal, *R. Koul*, 38

Simple tester for 4-wire circuits, *J. D. Stumbles*, 38

Skew-free clocks for logic circuits, *C. P. Aldworth*, 43

Applied Ideas Index

1985–1987

March 1986

555 symmetrical-triangle 'one-shot' generator, *B. L. Hunt*, 24
Opto-isolated high voltage driver, *D. M. Gaukrodger*, 33
Fast Fourier transform in BASIC, *B. Priestley*, 33
A microprocessor power supply watchdog, *J. Bennett*, 34

April 1986

A BASIC program for normal probabilities, *A. Collinson*, 29
An automatic RS232 Dataselector, *F. Hennau*, 33
Single chip checks resistance, *A. Bande and V. Bapat*, 34

May 1986

Single IC audio spectrum analyser, *A. J. Peyton*, 33
Sequential code converter to shaft encoders, *Dr. E. Petriu*, 36
Individual cable core identifier, *H. T. Wynne*, 46
Sequencer circuit for self-start of motor engines, *H. Tacca*, 48
Square waveform multiburst generator, *T. Petrovic*, 50

June 1986

Circuit for skewed data transmission, *Dr. O. O. Olaniyan, Dr. L. O. Kehinde*, 27
Low level, low impedance signal amplifier, *D. R. G. Self*, 30
Clock controlled PLL system, *K. Kraus*, 30
High speed CMOS produces Z80 clock, *J. H. A. Rowland*, 35 (Nb. Letter to the Editor, September 1986, 38)
Solid state stepping switch, *P. J. Cooper*, 35
EPROM decoder for device selection, *K. J. Whitley*, 36

July 1986

Frequency comparator, *R. J. Eggleton*, 27
Improved non-inverting integrator, *R. A. Worsley*, 30
Monostable using video amplifier and comparator, *K. Ball*, 30
Low cost speed regulator for DC motors, *R. Battaiotto*, 34

August 1986

FET super diode for peak holding, *I. Marshall*, 28
Thermistor linearisation with comparator, *R. N. Sengupta*, 28
Video dc restoration using a TTL level switch, *A. Foord*, 32
Linear optocoupler circuit for instrumentation, *H. Tacca*, 34
SSR provides multiple output protection, *R. N. Mekhale*, 34

September 1986

Non-integer programmable pulse divider, *T. Pang*, 34
ADC for square wave amplitude measurements, *J. Dabrowski & J. Konopacks*, 34
Single chip pump controller, *H. Tacca*, 37
Delayed pulse generator, *J. Bloor*, 38

October 1986

Photomultiplier output-gating circuit, *Y. A. B. D. Wickramasinghe*, 41
A square-to-sinewave converter, *L. Pettersson*, 44

November 1986

Approved version of a simple continuity tester, *J. R. Ball*, 34
Fuse replacement by variable semiconductor, *A. Karnal, V. Prakash and K. C. Tripathi*, 34
Simple frequency comparator, *A. Scragg*, 39
A high frequency peak detector, *R. Wilson*, 40
Power GaAsFET amplifier with single supply, *N. Balakrishnan and S. Venkateshmurti*, 40
(Beware Danger, January 1987, 25)
Authors Views — Beware Danger. Letter to the Editor. (September 1987, 32.)

December 1986

Linear current drive for stepping motors. *Prof. V V Athani*. 28.
Multi-frequency signal averager. *P R Madhava Panicker, K S V Shenoy*, 32.
Raising to a power regulated by a single resistor. *J Siuzdak*, 32.

January 1987

Alternative assembly for memory ICs. *D Willis*, 22.
Standby power for non-volatile CMOS RAMs. *L G Ullate*, 22.
A simple phase detector circuit. *W Ahmad*, 25.

February 1987

S C biquad controls 'Q' and centre frequency. *P Gangopadhyay*, 35.
Synchronous digital and duty cycle converter. *W A Russell*, 36.
Transient suppression circuit for driving coils. *S J Prasad*, 40.
A speech activity detector for telephone lines. *J N Lygouras*, 40.
A low cost data/address generator. *J Dhanarajan*, 44.
A safe constant current source. *J E Baxendale*, 44.

March 1987

Frequency independent V. C. sine phase shifter. *J Siuzdak*, 29.
Local area network error counter. *D Greaves*, 30.

April 1987

Pulse amplifier base line stabilisation. *J A Haase*, 45.
360° digital phase detector. *B K Ward and C J Walsh*, 46.

May 1987

Temperature-compensated fuel gauge. *N R Cox*, 39 & 40.
Non-contact battery charging. *S G Robinson*, 40.

June 1987

16-bit data output from an 8-bit processor. *B Wilson*, 25.
Variable-length static shift. *B Tan*, 26 & 28.
Measuring phase difference from 0 to ±180°. *R S Fyath*, 28.

July 1987

Making speech synthesisers noise-adaptable. *H N Teodorescu*, 23.
Edge detector with second delayed output. *Dr D Damljanovic*, 24.
Microprocessor watchdog circuit. *T Williams*, 24.

August 1987

Improved bipolar analogue switch. *B L Hart*, 25.
A technique for display applications. *A Joseph*, 27.

September 1987

A circuit for multiplying pulse widths. *R S Fyath*, 27.
Making the SMPS controller chip more versatile. *B. Gowripathi*, 27.
Interfacing 65XX/68XX peripherals with the Z80. *L de Sa*, 30.
A simple tape recorder interface. *M Darko Zagreb*, 32.

October 1987

Preamp for a pyroelectric detector. *A Foord*, 32 & 36.
PLM language extensions. *J Randle*, 38.
Cascading dual port RAMs. *G Jones*, 38 & 41.
SMPS core saturation protection. *L Sage*, 41.

November 1987

Improved optical shaft encoder resolution. *E Petriu*, 37.
A simple constant fraction trigger. *V Dondarevic*, 38.
Multichannel temperature measurement. *B Spedding*, 40.

December 1987

Monostable applied to low power systems. *B Spedding*, 27.
Low cost instrumentation tape recorder. *W Yeung*, 28.

electronic engineering

Readout Index 1985-87

ATE and methods

CAE/CAD and computer techniques

Custom and semi-custom design

Hardware, packaging and interconnection

Hybrid technology

Instrumentation

Integrated circuits — analogue and applications

Integrated circuits — digital and applications

Integrated circuits (Mixed A/D) and applications

Materials

Memories

Microwave technology and RF transmission

Opto electronics

Passive components and circuits

Power supplies and batteries

Software

Solid state devices — discrete (power)

Telecommunications and data communications buses and networks

ATE and methods

[illegible] will do the IC testing and where? *Tektronix*. March 1985, 16.

Low cost ATE moves up market. *Wayne Kerr ATE*. April 1985, 11.

Factron — Looking down the ATE road. *Factron*. May 1985, 10-11.

Marconi 2955 mobile radio ATE, *Marconi*. May 1985, 22.

Wayne Kerr ATE makes an impact. *Wayne Kerr*. June 1985, 19.

Keithley's parametric testing software. *Keithley*. June 1985, 24.

Altera Corporation orders MegaOne ATE. *Megatest*. July 1985, 14-19-20.

Resources behind the pin. *Megatest*. July 1985, 20.

Teradyne boosts Lasar's performance. *Teradyne*. September Supplement 1985, 123.

Realchip and Lasar team up. *Teradyne/Valid*. September Supplement 1985, 123.

A Sentry 'for half the price' from France. *Sentry*. November Supplement 1985, 121.

Olivetti Tecnost has performance tester. *Olivetti Tecnost*. November Supplement 1985, 124.

Cooperative programs test computer compatibility. *Honeywell*. November Supplement 1985, 127.

Irish ATE solution to PSU test problems. *Intepro*. November 1985, 129-130.

Board tester for memory and VLSI logic. *Eaton*. November Supplement 1985, 134.

Integration speeds linear/digital testing. *LTX*. November Supplement 1985, 134.

Performance test reaches 80MHz speed. *Teradyne*, November Supplement 1985, 136.

Plessey/assessment on a grand scale. *Plessey*. February 1986, 12-16.

Lasar Version 6. *Teradyne*. June Supplement 1986, 102.

New approaches to automatic test generation. *Silicon Design Conference*. September Supplement 1986, 115.

New testing techniques. *RCA*. November 1986, 14.

Laser methods for contactless testing. *Mitsui/IBT/Vanzetti*. November Supplement 1986, 113-114-117.

In-circuit tester offers 2048 discrete channels. *Marconi*. November Supplement 1986, 118-121.

Calibration for mixed signal testing. *LTX*. November Supplement 1986, 121.

Bench top ATE enhancements. *Mars/ATE Systems/Wayne Kerr/Tecnost/MTL*. November Supplement 1986, 123-125.

Testing an integral part of NEC's ASIC Success. *NEC*. March 1987, 21-25.

GenRad — a universal board tester. *Genrad*. September 1987, 9-10.

New ATE jig and fixture developments. *Factron/OB Test Fixtures*. September 1987, 16.

CAE/CAD and computer techniques

Sceptre II on the IBM PC. *AMI*. January 1985, 13.

HITAP and HIPOST strengthen HILO-2. *GenRad*. January 1985, 18.

HILO-2 wins worldwide support from Racal Redac. *GenRad*. January 1985, 18.

Tektronix moves up with CAE leaders. *Tektronix*. September Supplement 1985, 115.

Computervision goes to front end design. *Computervision*. September Supplement 1985, 118.

Mentor Graphics tools up for PCB design. *Mentor*. September Supplement 1985, 118.

Simulator 50 times faster than Spice. *ECAD Inc*. September Supplement 1985, 126.

PC based CAD system from Chiptech. *Chiptech*. June Supplement 1986, 95.

Mentor early with PC entry system. *Mentor Graphics*. June Supplement 1986, 102.

Adding analogue to silicon compilation. *Silicon Compilers*. September Supplement 1986, 110.

Semiconductor simulation at Swansea. *Simulation of Semiconductors Conference*. September Supplement 1986, 116-119.

Towards a standard CAE platform. *Silicon Design Confer-*

Readout Index 1985–87

ence. September Supplement 1986, 119.
UK is site of Toshiba's second design centre. *Toshiba UK*. October 1986, 23.
On Cue the Daisy Personal Logician 386. *Daisy Systems*. April 1987, 14.
Squeezing the best of Spice. *Daisy/Mentor/Elex/MSS/Valid*. June 1987, 82.
IC tools target foundries and systems houses. *SDA Systems*. August 1987, 9.
Interpretive verification of electrical design rules. *CAECO*. August 1987, 9.
BT launch microstrip layout package. *British Telecom*. September 1987, 86.
Calma extend IC layout software and platforms. *Calma*. November 1987, 22.

Custom and semi-custom design

Attack on converting discrete logic users. *Cascom/Memec*. April 1985, 13.
Converting the discrete logic user. *LSI Logic*. April 1985, 19.
Still a role for development systems. *Hewlett-Packard*. June 1985, 15.
GEC to offer a GaAs foundry service. *GEC*. June Supplement 1985, 135.
TI launches electron beam service. *TI*. August 1985, 12.
Falcon flies in the face of array costs. *MCE*. September Supplement 1985, 109.
Image arrays rival Falcon. *Newmarket Microsystems*. September Supplement 1985, 109-110.
Intel micro developments on IBM PC. *Intel*. September Supplement 1985, 115.
Custom Silicon for data acquisition devices. *Analog Devices*. December 1985, 15.
Elex offer PC version of Analog workbench. *Analog Design Tools*. June Supplement 1986, 101.
Expert Silicon Product (ESP) goes PC. *Factron*. June Supplement 1986, 102.
Mietec opens ASIC design centre. *Mietec*. March 1987, 17-18.
LSI Logic aims 'standard' ASICs at video DSP. *LSI Logic*. June 1987, 11-14.
Capacitance measurement for ASIC QC. *Keithley*. June 1987, 14-19.
The options are open for custom analogue. *AMI/Hybrid/Eesof*. June 1987, 72.
Aiming for the right relationship. *TSMC*. July 1987, 12.
AT&T — ASICs making the unmakeable. *AT&T*. July 1987, 16-19.
FORTH processor as ASIC core cell. *Harris Semiconductor*. September 1987, 11-15.
BIPOLAR arrays take semicustom up to UHF. AT+T. December 1987,9.

Hardware, packaging and interconnection

Smart equation of state transducer. *Sfernice*. January 1985, 20.
Is this the smallest IDC connector. *ITT*. January 1985, 20.
Consolidation and growth worldwide. *BICC-Bero*. January 1985, 23.
Touch screen provides 4mm resolution. *Walmore*. February 1985, 25.
Surface mount — the Berg connection. *Berg Electronics*. March Supplement 1985, 109.
Berg's filter connectors. *Berg Electronics*. March 1985, 109.
Murata Erie enters connector market. March Supplement 1985, 111.
Personal computers boost connectors. *Frost & Sullivan*. March Supplement 1985, 111.
IDC connectors offers double I/O density. *Augat*. March Supplement 1985, 112.
The IDC gets smaller. *Tempatron/Fujitsu*. March Supplement 1985, 112.
Filtered connectors for the military. *Plessey Connectors*. March Supplement 1985, 115.
Burndy sees automation as key to IDC. *Burndy*. March Supplement 1985, 115.
Schroff speeds up back plane connection. *Schroff*. March Supplement 1985, 116.
The five row connector. *Teradyne*. March Supplement 1985, 116.
SMT starts to gather momentum. *SM Technology*. August 1985, 12.
Telesis PCB design system comes to UK. *Telesis*. September Supplement 1985, 111.
Ireland aims new technology at UK. *IEB*. October 1985, 14-15.
Internepcon roundup — SMT connectors. *Internepcon '85*. November 1985, 18.
It was Melchert not . . . *Melchert*. November 1985, 21.
Low cost hands on SMT experience. *Addon-Devices*. March 1986, 11.
BICC-Vero's show of style from small to large. *BICC-Vero*. July 1986, 12.
Letter: Correction product focus data. *D. G. Hey*. September 1986, 18
Custom IC aids keyboard maker. *Alphameric Keyboards*. September 1986, 17-18.
DuPont can satisfy Europe's dry resist needs. *Du Pont*. September 1986, 21-22.
What is Riston dry film resist. *Du Pont*. September 1986, 21.
ICI add the extra dimension to PCBs. *ICI*. January 1987, 15-16.
Pie Awards — Stars of Internepcon '87. *Internepcon '87 Report — Pie*. May 1987, 15-24.
Optical lithography and Inspection star at Semicon. *Semicon '87 Report*. May 1987, 27.
Enclosures for Nuclear EMP protection. *Rainford Racks*. August 1987, 16.
Commercial RFI protected enclosures. *Schroff*. August 1987, 19.
The principles of reciprocity (RFI). Box Inset. August 1987, 19.

Hybrid technology

SMDs — Philips sounds a sombre note. *Philips*. November 1985, 10-12.
SMD Information. *Philips*. November 1985, 10.
Robotic fixture handles surface mount. *Vanwell*. November Supplement 1985, 138.

Instrumentation

VXIbus to provide instruments on Vme cards. Racal Dona. December 1987, 10–13.
A 500mHz network and spectrum analyser. *Hewlett Packard*. December 1987, 16.
Born again logiscope weighs 1¼lbs. *Pocket Technology*. January 1985, 15.
Northwest puts logic analysis on AT. *Northwest Instruments*. January 1985, 24.
Analog Devices enhance IBM for measurement and control. *Analog Devices*. March 1985, 18-19.
Rugged IBM PC is the basis of GE(USA) factory controller. *GE(USA)*. March 1985, 18-19.
Modular spectrum analyser for flexibility. *Hewlett-Packard*. April 1985, 27.
DMM calibration in-situ. *Datron*. June 1985, 24.
Printer technology for the year 2000. *Epson*. July 1985, 12-14.
IBM-PC simplifies Gould logic analysis. *Gould*. August 1985, 16.
Gould and Electroplan logically together. *Gould*. August 1985, 16.
Disassembler added to inexpensive LA. *Thurlby*. September 1985, 9-11.
Cescom's flashcan halves photoplot cost. *Cescom*. September Supplement 1985, 126.
Tek adds three new DSO to its range. *Tektronix*. November 1985, 7-8.
New angle on ellipsometers. *National Bureau of Standards*. November Supplement 1985, 127.
H-P- bridges vendor gap. *Hewlett-Packard*. November Supplement 1985, 138.
1GHz colour scope introduced. *Hewlett-Packard*. November Supplement 1985, 138.
Tek's spectrum analysers hit 325GHz. *Tektronix*. February 1986, 9-11.
Frequency accuracy in spectrum analysis. *Tektronix*. February 1986, 9.
New logic analyser family plus tester. *Gould Electronics*. February 1986, 16.
Software emphasis in logic analyser. *Thandar*. April Supplement 1986, 111-113.
A fifteen step trigger. *Thandar*. April Supplement 1986, 111.
Voltmeter approaches waveform acquisition. *Keithley*. April Supplement Supplement 113.
Modular logic analyser. *Nicolet*. April Supplement 1986, 115.
Synthesiser gives 'What If' answers at 50MHz. *Hewlett-Packard*. April Supplement 1986, 117.
Multifunction calibrator for 6½ digit DMMS. *Datron Instruments*. April Supplement 1986, 120.
Test system for logic analysers. *Gould*. April Supplement 1986, 120.
Resistor refinement improves DMM. *Fluke*. April Supplement 1986, 122.
New logic analysers feature time state scroll. *Philips*. August 1986, 12.
Tektronix stretch portable scope performance. *Tektronix*. August 1986, 19-20.
Nature rewards the diligent designer. *Tektronix*. August 1986, 20.
DSO takes sampling rate to 1GHz. *Hewlett-Packard*. March 1987, 77-79.
Gould adopt CCDs in 400MHz DSO. *Gould*. March 1987, 79.
DMM doubles as datalogger and controller. *Wavetek*. March 1987, 80.
Dolch launch modular logic analyser. *Dolch*. March 1987, 82.
Research centre pioneers Josephson standards. *Technical Research Centre (Finland)*. March 1987, 84.
Calibration defines measurement accuracy. *Solartron*. March 1987, 84.
Scopes — the shape of things to come — now. *Tektronix*. March 1987, 87-90.

Readout Index 1985–87

Digitising TDR achieves resolution of 250fs. *Hewlett-Packard.* September 1987, 82.

Wiltron increase the measure options. *Wiltron.* September 1987, 78.

Logic analyser design in 11 months. *Gould.* October 1987, 17.

Waveform Analysers: A product evolution. *Data Labs.* October 1987, 20-21.

Logic analyser chip spawns instrument family. *Hewlett-Packard.* October 1987, 14.

Integrated circuits — analogue and applications

Linear Technology switches to capacitors. *Linear Technology.* February 1985, 20.

Capacitors jump aboard op-amp for first. *Teledyne.* October 1985, 9-10.

Letter: Product Focus analogue & linear new data. *Tom Lane.* September 1986.

Motorola early with 32-bit enhancements. *Motorola.* November Supplement 1986, 9.

Pace speeds up in GaAs microprocessors. *McDonnell Douglas/Vitesse.* November Supplement 1986, 12.

Letter: Support for RISC. *W. P. Watson.* November Supplement 1986. 14.

The Maxim route to analogue reliability. *Maxim.* July 1987, 9-12.

Analogue reliability. Letter to the Editor — *Fernando Villamor.* August 1987.

Letter to the editor. Analogue reliability. *David Watson.* October 1987, 13.

Integrated circuits — digital and applications

Chip set speeds up 32-bit processing. *AMD.* January 1985, 11.

Microcomputer and CP/M on one chip. *AMI.* January 1985, 13.

Intel's new chip key to PC networks. *Intel.* February 1985, 13.

Development tools for the MC68020. *Motorola.* February 1985, 15.

ECL gate arrays at 2000 gate equivalent. *Fairchild.* February 1986, 17.

TI simplifies bit-mapped graphics design. *Texas Instruments.* February 1985, 18.

68008 and UNIX in development system. *Syntel/MDS.* February 1985, 25.

One-cycle multiply/add on TI's MkII DSP. *Texas Instruments.* March 1985, 13.

Universal programmers — rivalry glow. *Elan Digital.* April 1985, 19.

Sprague — SSS team flexes its muscle. *Sprague.* June 1985, 11-12.

Harris extends its range of GaAs logic. *Harris Microwave.* June Supplement 1985, 117.

Gigabit learns how to package its speed. *Gigabit.* June Supplement 1985, 122.

US start ups challenge for GaAs market. *Vitesse/Pivot/TriQuint.* June Supplement 1985, 126.

BT develops high speed logic. *British Telecom.* June Supplement 1985, 130.

CRT controller for home graphics use. *Cimatel.* July 1985, 11.

Right first or second time with QMOS. *RCA.* August 1985, 11.

Letter: Double edge triggered flip-flop. *J. S. Ghalley.* September 1985, 16.

Acorn announces a 32-bit RISC processor IC. *Acorn Computers.* October 1985, 22.

Worth the RISC. *Acorn/IBM/Inmos.* October 1985, 22.

Thomson bring imagary touch to DSP. *Thomson Semiconducteur.* January 1986, 9.

QMOS reliability — an update. *RCA.* January 1986, 14.

Philips bring DMA/MMU within 68000 IC. *Philips.* January 1986, 17.

Talk of fighting back at Wescon. *Wescon.* January 1986, 20-21.

FACT — new high speed low power logic. *Fairchild Camera.* February 1986, 19-22.

12-bit A/D with five microsecond conversion. *Analog Devices.* March 1986, 9-11.

Intel enhances MCS-96 microcontroller family. *Intel.* March 1986, 12-16.

The evolution of single-chip microcontrollers. *Intel.* March 1986, 16.

TI, Philips and Signetics go for 1 micron CMOS. *Texas Instruments,* April 1986, 9-12.

Micro Concepts quick to use RMS chip set. *Micro Concepts.* May 1986, 25.

Parallel DSP is first in Philips family. *Philips.* July 1986, 19.

Inmos — a new direction for DSP architecture. *Inmos.* August 1986, 9-11.

Rethinking the DSP design approach. *Inmos.* August 1986, 9.

GaAs — Gigabit's new generation. *Gigabit Logic.* August 1986, 16-19.

MIPS — RISC offers $10,000/MIP performance. *MIPS Computer Systems Inc.* September 1986, 11-12.

Cycles pr instruction is real key to RISC. *MIPS Computer Systems Inc.* September 1986, 12.

First GaAs microprocessor. *McDonnell Douglas.* September 1986, 18.

Parallel processing for hardware acceleration. *DAC Conference.* September Supplement 1986, 109.

Intel launch artificial intelligence programme. *Intel.* October 1986, 16-19.

Artificial intelligence — the techniques and software. *Intel* October 1986, 19.

New RCA logic stays with end pin ground. *RCA.* October 1986, 27-29.

Motorola early with 32-bit enhancements. *Motorola.* November 1986, 9.

Pace speeds up in GaAs microprocessors. *McDonnel Douglas/Vitesse.* November 1986, 12.

Support for RISC (Letter to the Editor). *W P Watson, Computer Solutions Ltd.* November 1986.

New Intel ISDN chips plus evaluation kits. *Intel.* December 1986, 9-10.

National choose parallel graphics architecture. *National Semiconductor.* December 1986, 15-16

Universal pin moves to device programmers. *Data IO/MSS.* February 1987, 25.

Coming to Europe with a rad-hard processor. *Harris Semiconductor.* February 1987, 8-12.

Meeting the challenge from Europe with SOS. *MEDL.* February 1987, 9-12.

Intel propose 20MHz 386 as standard platform. *Intel.* April 1987, 11-14.

The 32-bit future for AMD is a RISC processor. *AMD.* May 1987, 9-10.

National suggest no risk(c) with the 32532. *National Semiconductor.* May 1987, 15.

Paradise enhance IBM graphics. *Paradise.* April 1987, 29-33.

Did IBM oversight spawn graphics business. Inset Box. April 1987, 29.

EPLD uses hard macro architecture. *Intel.* April 1987, 37-39.

8-bit microcontroller designed as core cell. *National Semiconductor.* April 1987, 39-40.

The Z280 — a new 8/16-bit processor plus. *Zilog.* July 1987, 15.

9K gate LCAs: An idea whose time has come? *Xilinx/Micro Call.* November 1987, 9.

Progress in rad hard processors. *Harris.* November 1987, 10.

Static CMOS 80C286 at 12.5 and 16MHz. *Harris.* November 1987, 10-13.

First silicon of MC68030 confirmed. *Motorola.* November 1987, 13.

TI tip BiCMOS and interconnection as 1990's technologies. *Texas Instruments.* December 1987, 13.

Integrated circuits (Mixed A/D) and applications

Design show moves from provinces. *Electronics Design Show.* April 1985, 21-22.

ISSCC '85 Report. *ISSCC 85.* April 1985, 24-25.

Semicon Europa '85 — Big wafer debate. *Semicon Europa.* May 1986, 20-22.

Marconi opens Aladdin's cave of technology. *GEC.* June 1985, 16.

Engineering services is key to success. *Impulse.* June 1985, 23-24.

Plessey's progress with its III-V plans. *Plessey.* June Supplement 1986, 136.

Sinclair claims WSI production milestone. *Sinclair Research.* August 1985, 19.

Letter: Non-linear controls. N C V Smith. November 1985, 12.

Deltest cuts cost of phone chip test. *Deltest.* November Supplement 1986, 130.

Letter: Monolithic reference source. *Ken Hunter.* February 1986, 22.

Texas cone and neuron connector ISSCC '86 stars. *ISSCC '86.* April 1986, 15-18.

Upturn forecast at Semicon Europa. *Semicon Europa, Eaton.* May 1986, 20.

Fat 12-bit A/D success spawns a family. *Datel.* November 1986, 19-22.

Letter: Saving the design engineer. *G. N. Hardern.* November 1986, 22.

Fast 12-bit A/D success spawns a family. *Datel.* November 1986, 19-22.

Serving the Design Engineer (Letter to the Editor). *G N Harden, MD Harris Semiconductor.* November 1986.

New PLDs and ASICs as Wescon looks into space. *Wescon Report.* January 1987, 9-11.

Customer requirements for radiation-hard ICs. Summary. February 1987, 17.

VME-based system processes real-time images. *MSS/Data Cube.* March 1987, 11.

Image filtering by convolution. Inset box. March 1987, 12.

GaAs track and hold and clock circuits. Report. March 1987, 77.

Readout Index 1985–87

ISSCC '87 — The debut of the 16Mbit DRAM. Report of ISSCC '87. April 1987, 20-26.

ASP technique improves ADC efficiency. *Philips*. June 1987, 69.

8-bit DAC clocks at 500MHz. *Plessey Semiconductor*. June 1987, 76.

Pico second signal processor. *Hypres*. September 1987, 21.

The Josephson Junction. Inset box. September 1987, 21.

Avionics reliability. Letter to the Editor. *David Benny*. November 1987, 14.

Materials

UK breakthrough in electron mobility. *Philips*. June Supplement 1985, 136.

Next generation SOI moves to challenge SOS. Box inset. February 1987, 8-9.

Powerful ion-beam implanters for SOI. *V G Semicon/Eaton*. February 1987, 18-22.

Device quality SOI wafers at Surrey University. February 1987, 29-31.

Silicon on insulator: a technology update report. May 1987, 31-33.

STC — a technology driven recovery. *STC*. August 1987, 10-14.

Why the new superconductors are so important. *STC*. Prof. Colin Goodman. September 1987, 19.

AlGaAs technology comparison. *Hewlett-Packard*. November 1987, 30.

Memories

Memory 'Mega Projekt' get 2billion DM. *Siemens*. January 1985, 24.

Innovative RAM design with CMOS. *Inmos*. February 1985, 23.

Japan poised to offer GaAs memories. *General Report*. June Supplement 1985, 119-121.

Memory — the shape of things to come. *Hitachi*. August 1985, 9.

Letter: Comments on virtual memory. *Dai Rees*. August 1985, 21.

Toshiba commit 1Mbit DRAM to production. *Toshiba*. December 1985, 9-11.

32-bit micros demand paged virtual memory. *National Semiconductor*. March Supplement 1986, 103-105.

GaAs speeds up super computer cache memory. *Gigabit Logic*. March Supplement 1986, 105.

Hardened memories are up to 16Kbits. *RCA*. February 1987, 17.

BiCMOS reduces SRAM power needs by 15%. *Saratoga Semiconductor*. March 1987, 18.

EEPROMs scale up to 256K capacity. *Seeq/Xicor*. March Supplement 1986, 106.

Dallas takes the volatility out of SRAMs. *Dallas Semiconductor*. March Supplement 1986, 109.

Ford drives into GaAs memory mark. *Ford Microelectronics*. September 1986, 22.

Motor aerospace GaAs. *Ford Microelectronics*. September 1986, 22.

Microwave technology and RF transmission

Are UHF radars good for stealth? *Grumman/GEC (UK)*. October 1986, 9-10.

Satellite reception points to new direction in tv. *Skyscan*. November 1986, 25.

GaAs MESFETs at Internepcon. *AEG*. November 1986, 25.

Plessey doppler speed module. *Plessey*. January 1987, 15.

Phased array radar from North Yorkshire moors. *MoD*. March 1987, 17.

Nore provide isolators for cellular radio. *Nore*. April 1987, 19.

GaAs HEMT improves receiver noise. *NEC/Fujitsu/Mitsubishi*. May 1987, 33.

20W pin diode switches. *Oakbury/Enon*. May 1987, 33.

Vector modulation analyser. *Hewlett-Packard*. June 1987, 21.

MMICs adopted for microwave amplifiers. *Thorn EMI/ Mitsubishi/Harris*. June 1987, 78.

Broadband monolithic switch configured to taste. *Anzac Div. of Adams Russell*. September 1987, 81.

Gas station software fills MMIC layout void. *Barnard Microsystems*. September 1987, 81.

Monoblock filters reduce duplexer size. *Murata*. September 1987, 82.

Array antennas added to BT's Goonhilly links. *British Telecom*. September 1987, 86.

GaAs grown on silicon for gain block. *Sarnof Research*. September 1987, 77.

Taking the safe route to monolithic integration. *Pacific Monolithics*. September 1987, 89.

Millimetre-wave tv: an alternative to DBS? *Quasar/Cascade*. November 1987, 16-19.

Opto Electronics

Mullard see a major tv role for CCDS. *Mullard*. March 1985, 11.

Hybrid piggy back 4-digit display. *Siemens*. November 1985, 17.

New CCD camera variants from EEV. *EEV*. June 1986, 9-10-14.

An anti-smear alternative. *Matsushita*. June 1986, 10.

Letter: Searching the tv archives. *David Stiles*. June 1986, 14.

Thin CRT research results in slimscreen. *Mullard*. June 1986, 16.

Brandenburg's mini electrostatic display system. *Brandenburg*. June 1986, 16.

Cossor — a benchmark in optical processing. *Cossor*. October 1986, 13-16.

Electro-optic modulator — flat response dc — 18GHz. *RSRE (Malvern)*. December 1986, 15.

A new venture in custom displays. *Legend*. October 1987, 9-13.

Regisbrook display a spectrum of solutions. *Regisbrook*. October 1987, 18.

HP raise LED efficiency for outdoor use. *Hewlett-Packard*. November 1987, 26-28.

Passive components and circuits

Two families of microwave capacitors. *AVX*. October 1985, 19.

Ultra film a breakthrough in understanding. *Sfernice*. December 1985, 17-18.

System X: a serious MLC problem. *Murata*. October 1986, 30.

MLC Capacitors. Letter to the Editor. *R W Oram*. December 1986, 16.

Quality begins at home (MLC capacitors). Letter to the Editor. *John Plaskett*. December 1986, 19.

Power supplies and batteries

Building block approach to PSUs. *Rifa*. April 1985, 22.

Low profile dc/dc converter. *Amplicon*. November 1985, 15.

At Advance its a matter of philosophy. *Advance Power Supplies*. May 1986, 16.

PSU from Coutant power coming and going. *Coutant Electronics*. July 1986, 14.

Coutant — solving the problem. *Coutant Electronics*. July 1986, 14.

Software

The Tektronix CASE evangelists. *Tektronix*. July 1986, 9.

Tektronix a CASE of definitions. *Tektronix*. July 1986, 12.

FORTH — some whys and wherefores. Inset box. September 1987, 15.

Solid state devices — discrete (power)

IPS begin device chipment. *IPS*. August 1985, 19.

IR aim for £15m in aero-military HEXFETs. *International Rectifiers*. October 1985, 20.

GE(USA) get SMART in the power business. *GE (USA)*. January 1986, 11-12.

Dykes — taking the middle ground. *GE(USA)*. January 1986, 11.

Is power switch electronically indestructible? *Siemens*. May 1986, 11-13.

Single pole double throw solid state ac/dc relay. *Teledyne Solid State*. May 1986, 13.

Telecommunications and data communications buses and networks

Amplicon's IEEE488 controller is IMB-PC based. *Amplicon Electronics*. March 1985, 18-19.

Open networking strategy from Intel. *Intel*. April 1985, 14.

Boards to packaging a new bus co. *Dean Microsystems*. May 1985, 14-17.

The battle of the buses warms up. *Intel*. May 1985, 19.

Letter: Bus orientated boards. *Dave Batchelor*. September 1985, 11.

Letter: Bus orientated boards. *Paul Wilson*. September 1985, 13.

Letter: Bus orientated boards. *Colin Bartram*. September 1985, 13.

Letter: Bus oreintated boards. *David Wilson*. September 1985, 15.

Letter: Bus orientated boards. *J. A. Marshall*. September 1985, 15.

New bus philosophy drives ICM modules. *National Semiconductor*. December 1985, 21.

Futurebus — the last of the big buses. *Dean Microsystems*. March 1986, 18.

Add-in boards interface and analyse GPIB. *National Instruments*. June Supplement 1986, 98.

New Intel ISDN chips plus evaluation kits. *Intel*. December 1986, 9-10.